

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

Beam BauBuche GL75 block glued (GLT - Regular)

according to the product specification listed in the current addendum to this certificate placed on the market by

Company

POLLMEIER FURNIERWERKSTOFFE GMBH

Pferdsdorfer Weg 6

DE-99831 Amt Creuzburg

and produced in the manufacturing plant

neue Holzbau AG, CH-6078 Lungern, Obseestraße 11

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

ETA-14/0354, issued on 22.07.2024

and

EAD 130010-01-0304

under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1359-CPR-0873

Date of first issue: 29.10.2024

Date of issuance: 29.10.2024

This certificate will remain valid as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For the validity of this certificate see www.holzforchung.at.



DI Bernhard Kraus

Authorised signatory



PD Gerhard Grüll

Head of the Certification Body

Addendum to certificate 1359-CPR-0873

Date of issuance: 29.10.2024

Scope of certification:

Beam BauBuche GL75 block glued (GLT – Regular)

Block glued (GLT – Regular)

Product type:	Block glued "BSH – Regular" made from BauBuche GL75 beams for use as load-bearing components in buildings
Wood species:	European Beech (<i>Fagus sylvatica</i> L.)
Number of beams:	≤ 2
Width w of the block gluing:	≤ 600 mm
Height h of the block gluing:	≤ 600 mm
Service classes:	1 and 2
Adhesive:	EN 301 I 90 GF 1,5 M